

Quick Release Accessories

All accessories have 1/4" hex shank for "quick-release" type chucks.

QUICK RELEASE KEYLESS CHUCK

A great product featuring a patented quick-release mechanism that makes instant tool changes simple and fast. Works with our countersink and drill bit accessories or any 1/4" hex power bit. Solid steel construction, knurled locking collar and no-slip 3/8" hex shank to fit in any drill, cordless drill or drill press with 3/8" or larger chuck or keyless chuck. Made in U.S.A. Clamshell packed.



| Tool No. | Shank |
|----------|-------|
| 608-100 | 3/8" |

DRILL ADAPTERS WITH DRILL BITS

Includes HSS twist drill bit. You can also use these adapters with brad point, tapered, split point and any other type of drill bit.



| Tool No. | Drill Bit Dia. | Overall Length | Replacement Drill Bit |
|----------|----------------|----------------|-----------------------|
| 608-200 | 5/64" | 3-3/4" | 630-001 |
| 608-202 | 3/32" | 3-3/4" | 630-002 |
| 608-204 | 7/64" | 3-3/4" | 630-098 |
| 608-206 | 1/8" | 3-3/4" | 630-102 |
| 608-208 | 9/64" | 3-3/4" | 630-802 |
| 608-210 | 5/32" | 3-3/4" | 630-202 |
| 608-212 | 11/64" | 3-3/4" | 630-302 |
| 608-214 | 3/16" | 3-3/4" | 630-402 |
| 608-216 | 7/32" | 4" | 630-502 |
| 608-218 | 15/64" | 4" | 630-602 |
| 608-220 | 1/4" | 4" | 630-702 |

DRILL ADAPTERS WITH TAPER POINT DRILLS



With Quick Change Adapter



| Tool No. | Drill Bit Dia. | Overall Length | Replacement Drill Bit |
|----------|----------------|----------------|-----------------------|
| 608-260 | 2MM 5/64" | 3" | 630-260 |
| 608-262 | 2.4MM 3/32" | 3-9/32" | 630-262 |
| 608-264 | 2.8MM 7/64" | 3-9/32" | 630-264 |
| 608-266 | 3.2MM 1/8" | 3-3/8" | 630-266 |
| 608-268 | 3.6MM 9/64" | 3-7/16" | 630-268 |
| 608-270 | 4.0MM 5/32" | 3-7/16" | 630-270 |
| 608-272 | 4.4MM 11/64" | 4" | 630-272 |
| 608-274 | 4.8MM 3/16" | 4-9/32" | 630-274 |
| 608-276 | 5.6MM 7/32" | 5" | 630-276 |
| 608-278 | 6.3MM 1/4" | 5-5/16" | 630-278 |

STEP DRILLS

RTA furniture step drill. Used for drilling pilot hole, clearance hole and countersinking.



| Tool No. | Drill Bit Dia. | RTA Screw Size | Countersink Dia. |
|----------|----------------|----------------|------------------|
| 608-150 | 3.5MM | 5.0MM | 7.0MM |
| 608-152 | 5.0MM | 7.0MM | 10.0MM |

Replacement 3.5mm HSS slow spiral drill bit, 2-3/4" long, #55104.
 Replacement 5.0mm HSS slow spiral drill bit, 3-7/16" long, #55105.
 Replacement #10-24 set screw, #67092 (requires #5000 3/32" hex key.)

*Recommended wood screw sizes represent general purpose applications. Harder or softer materials may require different size pilot holes.

CARBIDE TIPPED COUNTERSINKS

Drill pilot hole and tapered countersink for wood screws. Carbide tipped for long lasting results in hard wood, plywood, plastics, etc.



| Tool No. | *Wood Screw Size | Drill Bit Dia. | Countersink Dia. |
|----------|------------------|----------------|------------------|
| 608-110 | #4 | 5/64" | 3/8" |
| 608-112 | #6 | 3/32" | 3/8" |
| 608-114 | #8 | 7/64" | 3/8" |
| 608-116 | #10 | 1/8" | 3/8" |
| 608-118 | #12 | 9/64" | 1/2" |

DEPTH STOPS FOR COUNTERSINKS

Adjustable to control the depth of countersinks listed to the left.



| Tool No. | Fits The Following Countersinks: |
|----------|------------------------------------|
| 608-120 | 608-110, 608-112, 608-114, 608-116 |
| 608-122 | 608-118 |

CARBIDE TIPPED COUNTERBORES

Flat bottom counterbores for using round head screws, hex bolts, etc. Includes pilot drill.



| Tool No. | Drill Bit Dia. | Counterbore Dia. |
|----------|----------------|------------------|
| 608-130 | 5/32" | 3/8" |
| 608-132 | 3/16" | 3/8" |
| 608-134 | 3/16" | 1/2" |
| 608-136 | 1/4" | 1/2" |
| 608-138 | 1/4" | 5/8" |

CARBIDE TIPPED BORING

For metric European hinges. Carded.



| Tool No. | Dia. | Shank Dia. | Length |
|----------|------|------------|--------|
| 608-170 | 15MM | 1/4" | 55MM |
| 608-172 | 20MM | 1/4" | 55MM |
| 608-174 | 25MM | 1/4" | 55MM |
| 608-176 | 26MM | 1/4" | 55MM |
| 608-178 | 30MM | 1/4" | 55MM |
| 608-180 | 35MM | 1/4" | 55MM |

PLUG CUTTERS

Self ejecting style for making your own wood plugs. 3/8" size is #4 through #10 screws and 1/2" is for #12 screws.



| Tool No. | Diameter |
|----------|----------|
| 608-250 | 3/8" |
| 608-252 | 10MM |
| 608-254 | 1/2" |

CARBIDE TIPPED GLASS AND TILE DRILLS



For use in drill presses and portable drills. Spear-point, ground for long life. Quick Change Shank for Quick Release System.




| Tool No. | Drill Bit Dia. | Inch |
|----------|----------------|-------|
| 608-290 | 3MM | 1/8" |
| 608-292 | 4MM | 5/32" |
| 608-294 | 5MM | 3/16" |
| 608-296 | 6MM | 1/4" |
| 608-298 | 8MM | 5/16" |
| 608-300 | 10MM | 3/8" |
| 608-302 | 12MM | 1/2" |

NOTE: Packaging for all items on this page is carded.

The Quick Release Drill System

Quick Release System

Timberline™ Quick Release



SELF CENTERING DRILL BIT GUIDES

Spring-loaded end for locating hinge screw holes. Includes HSS twist drill bit. Bright plated finish.

| Tool No. | Drill Bit Size | Replacement Drill Bit |
|----------|----------------|-----------------------|
| 608-520 | 5/64" | 630-001 |
| 608-522 | 7/64" | 630-098 |
| 608-524 | 9/64" | 630-302 |
| 608-526 | 11/64" | 630-302 |

SOCKET ADAPTERS

Converts your drill into a power nut setter. Carded.

| Tool No. | "D" Diameter | Length |
|----------|--------------|--------|
| 608-550 | 1/4" | 2-3/8" |
| 608-552 | 3/8" | 2-3/8" |
| 608-554 | 1/2" | 2-3/8" |

FACE FRAME COUNTERBORE

Carbide tipped w/HSS drill. Used for making "pocket holes". Packaged in plastic hanging tube.

| Tool No. | Description | Dia. | Length |
|----------|----------------------------|-------|--------|
| 608-160 | Counter Bore #1 | 3/8" | 4" |
| 608-162 | #29 HSS Fishtail Drill Bit | .136" | - |

CEILING TILE HANGER

Unique tool for fastening special screws used in the installation of hanging ceiling grids. Carded.

| Tool No. | Diameter | Shank Dia. |
|----------|----------|------------|
| 608-556 | 1/4" | 1/4" |
| 608-558 | 5/16" | 1/4" |

MAGNETIC NUT SETTERS

Universal 1/4" shank fits all drill and drivers. Used for power driving hex head screws, bolts and nuts. Carded.

| Tool No. | Diameter | Length |
|----------|----------|---------|
| 608-560 | 1/4" | 1-5/8" |
| 608-562 | 1/4" | 2-9/16" |
| 608-564 | 5/16" | 1-5/8" |
| 608-566 | 5/16" | 2-9/16" |
| 608-568 | 3/8" | 1-3/4" |
| 608-570 | 3/8" | 2-9/16" |
| 608-572 | 7/16" | 1-3/4" |
| 608-574 | 7/16" | 2-9/16" |
| 608-576 | 1/2" | 1-3/4" |
| 608-578 | 1/2" | 2-9/16" |

MAGNETIC DRIVE GUIDE

Retracting screw holder for driving screws. 1/4" hex head fits all power driving bit tips. Carded.

| Tool No. | Length |
|----------|--------|
| 608-510 | 80MM |
| 608-512 | 120MM |

MAGNETIC BIT HOLDER

Accommodates all 1/4" hex insert bits for all driver/drills. Carded.

| Tool No. | Length |
|----------|--------|
| 608-500 | 2-1/4" |
| 608-502 | 3" |
| 608-504 | 4" |

All accessories have 1/4" hex shank for "quick-release" type chucks.



SPADE BITS WITH SPURS

Precision ground and hardened steel spade bits for general purpose drilling of hard & softwood and wood by-products.

| Tool No. | Diameter | Overall Length |
|----------|----------|----------------|
| 608-400 | 3/8" | 6" |
| 608-410 | 1/2" | 6" |
| 608-420 | 5/8" | 6" |
| 608-430 | 3/4" | 6" |
| 608-440 | 7/8" | 6" |
| 608-450 | 1" | 6" |



AUGER BITS

Quality wood cutting auger bits for cutting with the quick release system.

| Tool No. | Diameter | Overall Length |
|----------|----------|----------------|
| 608-340 | 3/8" | 4" |
| 608-350 | 1/2" | 4" |
| 608-360 | 5/8" | 4" |
| 608-370 | 3/4" | 4" |
| 608-380 | 7/8" | 4" |
| 608-390 | 1" | 4" |



SLOTTED SCREW BIT TIPS

Packed 5 pieces per card.

| Tool No. | Screw Size | Overall Length |
|----------|------------|----------------|
| 608-610 | #6 | 1" |
| 608-612 | #8 | 1" |
| 608-614 | #10 | 1" |
| 608-616 | #12 | 1" |
| 608-640 | #6 | 2" |
| 608-642 | #8 | 2" |
| 608-644 | #10 | 2" |
| 608-646 | #12 | 2" |



PHILLIPS SCREW BIT TIPS

Packed 5 pieces per card.

| Tool No. | Screw Size | Overall Length |
|----------|------------|----------------|
| 608-600 | #0 | 1" |
| 608-602 | #1 | 1" |
| 608-604 | #2 | 1" |
| 608-606 | #3 | 1" |
| 608-630 | #1 | 2" |
| 608-632 | #2 | 2" |
| 608-634 | #3 | 2" |



Sample: 5 pieces per card.

PHILLIPS SCREW BIT TIPS

Bulk

| Tool No. | Screw Size | Overall Length | Pieces Per Jar |
|----------|------------|----------------|----------------|
| 608-633 | #2 | 2" | 150 |
| 608-637 | #3 | 2" | 150 |
| 608-690 | #2 | 1" | 250 |



HEX TIP BITS

Packed 5 pieces per card.

| Tool No. | Dia. | Overall Length |
|----------|-------|----------------|
| 608-660 | 1/16" | 1" |
| 608-662 | 3/32" | 1" |
| 608-664 | 1/8" | 1" |



MAGNETIC NUT SETTERS

Bulk

| Tool No. | Overall Length | Pieces Per Jar |
|----------|------------------|----------------|
| 608-563 | 1/4" x 2-9/16" | 50 |
| 608-567 | 5-1/6" x 2-9/16" | 50 |
| 608-571 | 3/8" x 2-9/16" | 50 |



SQUARE TIP BITS

Packed 5 pieces per card.

| Tool No. | Screw Size | Overall Length |
|----------|------------|----------------|
| 608-620 | #1 | 1" |
| 608-622 | #2 | 1" |
| 608-650 | #1 | 2" |
| 608-652 | #2 | 2" |
| 608-654 | #3 | 2" |



SQUARE TIP BITS

Bulk

| Tool No. | Screw Size | Overall Length | Pieces Per Jar |
|----------|------------|----------------|----------------|
| 608-623 | #2 | 2" | 150 |



All accessories have 1/4" hex shank for "quick-release" type chucks.